

# DYNAMIC 135 165 180 200 220 255

МУЛЬЧЕРЫ

## ТЕХ. ХАРАКТЕРИСТИКИ

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-4159  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89  
Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48

Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81  
Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73

Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47  
Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Саранск (8342)22-96-24  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35

Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35  
Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

Адрес: <https://orsi.nt-rt.ru> || эл.почта: [ois@nt-rt.ru](mailto:ois@nt-rt.ru)

| DYNAMIC | 135 | 165 | 180 | 200 | 220 | 255 |
|---------|-----|-----|-----|-----|-----|-----|
|---------|-----|-----|-----|-----|-----|-----|

#### TECHNICAL SPECIFICATIONS

|                            |                                                                                                                        |                                             |                           |                           |                           |                          |                          |
|----------------------------|------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|---------------------------|---------------------------|---------------------------|--------------------------|--------------------------|
| Working width              |                                                                                                                        | 135 cm                                      | 162 cm                    | 181 cm                    | 210 cm                    | 221 cm                   | 253 cm                   |
| Machine weight             |                                                                                                                        | 445 - 530 kg                                | 485 - 580 kg              | 505 - 650 kg              | 525 - 680 kg              | 545 - 700 kg             | 570 - 760 kg             |
| tools                      | <br>Knives<br>max Ø 3 cm              | N° 36                                       | N° 36                     | N° 48                     | N° 48                     | N° 48                    | N° 60                    |
|                            | <br>Hammers<br>max Ø 5/6 cm - Kg 1,35 | N° 12                                       | N° 12                     | N° 16                     | N° 16                     | N° 16                    | N° 20                    |
| rotor Ø                    |                                       | A                                           | 159 x 10 mm               | 159 x 10 mm               | 159 x 10 mm               | 178 x 10 mm              | 178 x 10 mm              |
|                            |                                                                                                                        | B                                           | 423 mm                    | 423 mm                    | 423 mm                    | 423 mm                   | 442 mm                   |
| N° belts <b>quad power</b> |                                                                                                                        | 4                                           | 4                         | 4                         | 4                         | 5                        | 5                        |
| CAT.                       |                                                                                                                        | I-II                                        | I-II                      | I-II                      | I-II                      | I-II                     | I-II                     |
| RPM PTO <b>standard</b>    | 540                                                                                                                    | Rotor revolutions/<br>peripheral tool speed | 2300 rpm<br>50,94 m/ sec  | 2300 rpm<br>50,94 m/ sec  | 2300 rpm<br>50,94 m/ sec  | 2050 rpm<br>47,44 m/ sec | 2050 rpm<br>47,44 m/ sec |
| HP max transmission        |                                                                                                                        | 40 hp                                       | 80 hp                     | 80 hp                     | 110 hp                    | 110 hp                   | 110 hp                   |
| RPM PTO <b>optional</b>    | 1000                                                                                                                   | Rotor revolutions/<br>peripheral tool speed | 2300 rpm/<br>50,94 m/ sec | 2300 rpm/<br>50,94 m/ sec | 2300 rpm/<br>50,94 m/ sec | 2050 rpm<br>47,44 m/ sec | 2050 rpm<br>47,44 m/ sec |
| HP max transmission        |                                                                                                                        | 55 hp                                       | 110 hp                    | 110 hp                    | 110 hp                    | 110 hp                   | 110 hp                   |
| Utilization                |                                                                                                                        | Rear mounted                                |                           |                           |                           |                          |                          |

| DYNAMIC | 135 | 165 | 180 | 200 | 220 | 255 |
|---------|-----|-----|-----|-----|-----|-----|
|---------|-----|-----|-----|-----|-----|-----|

#### MACHINE

|                                                                                                                                                         |   |   |   |   |   |   |
|---------------------------------------------------------------------------------------------------------------------------------------------------------|---|---|---|---|---|---|
| Rounded frame with rounding on the outside                                                                                                              | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Professional rear roller Ø 140 mm with 4 taper roller bearings, mud scraper and central body interchangeable with 2 positions: 1) self-cleaning 2) rear | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Triple static knife                                                                                                                                     | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Double Hardox steel frame                                                                                                                               | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Front protection flaps sp. 6 mm                                                                                                                         | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Reflectors                                                                                                                                              | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Front wheels                                                                                                                                            | • | • | • | • | • | • |
| Rakes                                                                                                                                                   | • | • | • | • | • | • |
| 3 point hitch lowering kit                                                                                                                              | • | • | • | • | • | • |
| Wheels (instead of the roller)                                                                                                                          | • | • | • | • | • | • |
| Wheels (after fit)                                                                                                                                      | • | • | • | • | • | • |
| Protection chains                                                                                                                                       | • | • | • | • | • | • |
| Side Skids in Hardox                                                                                                                                    | • | • | • | • | • | • |

#### 3 POINT HITCH

|                                                         |   |   |   |   |   |   |
|---------------------------------------------------------|---|---|---|---|---|---|
| Mechanical side shift movement with chromed steel pipes | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Hydraulic side shift movement with chromed steel rod    | • | • | • | • | • | • |

#### TRANSMISSION

|                                                  |   |   |   |   |   |   |
|--------------------------------------------------|---|---|---|---|---|---|
| Free wheel in the gear box                       | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Oscillating bearings with double column of balls | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| "Ventilator" Rotor                               | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Tool holders - Forestry type                     | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Option for central gearbox                       | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Tool screw in steel Ø 20 mm 12.9                 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Double flange in the rotor                       | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Automatic belts tensioner                        | • | • | • | ✓ | ✓ | ✓ |
| PTO 1000 RPM                                     | • | • | • | • | • | • |
| Cardan shaft                                     | • | • | • | • | • | • |
| Supplement for rotor with knives                 | • | • | • | • | • | • |
| Central gearbox                                  | - | • | • | • | • | • |

#### ACCESSORIES FOR BETWEEN ROWS/ORCHARDS/TREES

|                                                |   |   |   |   |   |   |
|------------------------------------------------|---|---|---|---|---|---|
| FLAIL-D see page 64                            | • | • | • | • | • | • |
| FLAIL-I (not with central gearbox) see page 65 | • | • | • | • | • | • |
| BIO CUT-D see page 66                          | • | • | • | • | • | • |
| BIO CUT-I see page 67                          | • | • | • | • | • | • |



## DYNAMIC

### AGRICULTURAL SERIES

**Self-cleaning roller position**  
unloading of mulched product behind the roller  
for faster working speed



**Rear roller position**  
unloading of mulched product in front of the  
roller for better shredding



## По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89  
Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48

Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81  
Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73

Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47  
Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Саранск (8342)22-96-24  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35

Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35  
Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

Адрес: <https://orsi.nt-rt.ru> || эл.почта: [ois@nt-rt.ru](mailto:ois@nt-rt.ru)