

PROFESSIONAL 105 125

150 105 125 125 125 180

ГОЛОВКИ ДЛЯ ЭКСКАВАТОРОВ

ТЕХ. ХАРАКТЕРИСТИКИ

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-4159
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48

Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73

Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35

Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

Адрес: <https://orsi.nt-rt.ru> || эл.почта: ois@nt-rt.ru

PROFESSIONAL	105	125	150	105	125	125	125	180
	 C G B M			 P Q		 V	 T	

TECHNICAL SPECIFICATIONS								
Working width	105 cm	125 cm	150 cm	105 cm	125 cm	125 cm	125 cm	180 cm
Overall width total	135 cm	155 cm	180 cm	135 cm	155 cm	155 cm	155 cm	210 cm
Machine weight*	380÷430 kg	420÷490 kg	480÷530 kg	380÷430 kg	420÷490 kg	420÷490 kg	420÷490 kg	540÷590 kg
Direct transmission	✓	✓	✓	✓	✓	✓	✓	✓
tools	C max Ø 3 cm	N° 32	N° 48	N° 72	-	-	-	-
	G max Ø 4 cm	N° 16	N° 24	N° 36	-	-	-	-
	B max Ø 4 cm	N° 16	N° 24	N° 36	-	-	-	-
	M max Ø 6 cm	N° 16	N° 24	N° 36	-	-	-	-
	P max Ø 5 cm	-	-	-	N° 32	N° 40	-	-
	Q max Ø 5 cm	-	-	-	N° 32+16	N° 40+20	-	-
	V max Ø 8 cm	-	-	-	-	-	N° 24	-
	T max Ø 8/10 cm	-	-	-	-	-	N° 20	N° 32

PROFESSIONAL	105	125	150	180
MACHINE				
Steel frame with internal counter-frame (double frame)	✓	✓	✓	✓
Static knife in Hardox and blade cutting system	✓	✓	✓	✓
Rear roller Ø 140 mm with 4 tapered roller bearings and interchangeable central body thickness 6 mm, adjustable in height	✓	✓	✓	✓
Replaceable skids	✓	✓	✓	✓
Front and rear protection rubber	✓	✓	✓	✓
Removable oscillating plate	✓	✓	✓	✓
Mechanical rotation 180° (A.)	•	•	•	•
Hydraulic rotation 180° (n°2 hydraulic hoses) (B.)	•	•	•	•
Standard mounting brackets (no pins)	•	•	•	•
Adapters	•	•	•	•
Selflevelling "universal" skid coupler	•	•	•	•
CCoupler for loaders/ telescopic lifters/ backhoes	•	•	•	•
Hydraulic openable bonnet with machine already set up	•	•	•	•
TRANSMISSION				
VARISEAL engine with external drainage	✓	✓	✓	✓
"Helicocut" rotor	✓	✓	✓	✓
Double-row self-aligning ball bearings	✓	✓	✓	✓
Unidirectional rotor rotation	✓	✓	✓	✓
HYDRAULIC SYSTEM				
One way valve on return	✓	✓	✓	✓
ORSI V3.1-3/4: valve of max. pressure + anticavitation valve + flux regulator. 3 connecting hoses to the machine. Max backpressure on oil drainage = 12 BAR	✓	✓	✓	✓

PROFESSIONAL

PROFESSIONAL SERIES



C G B M
MULTI-KNIFE ROTOR
A: Ø 115 x 14.5 mm



P Q
ROTOR WITH Y KNIVES
AND/OR 3-KNIVES
A: Ø 127 x 14.5 mm



V
FLANGED ROTOR WITH HAMMERS
DOUBLE EDGE
A: Ø 115 x 10 mm



T
SEMI-FOREST ROTOR WITH
RETRACTABLE HAMMERS
A: Ø 235 x 5 mm



*variable weight based on the layout

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48

Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73

Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35

Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

Адрес: <https://orsi.nt-rt.ru> || эл.почта: ois@nt-rt.ru